Setup Instructions for Thunderbird email on NEW SEVER

- 1) Download and install Thunderbird on your Mac or PC from Mozilla at https://www.mozilla.org/en-US/thunderbird/
- 2) Open Thunderbird
- 3) Click "SKIP INTEGRATION" if prompted

System Integration	×
Use Thunderbird as the default client for:	
🗹 E-Mail	^
Newsgroups	
✓ Feeds	¥
Always perform this check when starting Thunder	bird
Set as Default Skip Integrati	on

4) Click "Skip this and use my existing email"



5) Complete the account setup wizard using the screenshots below as a guide

Mail Account Setup			×
Your <u>n</u> ame:	Frank Ricciardi	Your name, as shown t	o others
Emai <u>l</u> address:	fricciardi@pil.net		
Password:	•••••		
	Remember password		
<u>G</u> et a new acco	ount	<u>C</u> ontinue	C <u>a</u> ncel

Click Continue

CLICK MANUAL CONFIG...

Mail Account Setup	·				×
Your <u>n</u> ame:	Frank Ricciardi	Your name, a	as shown to oth	ers	
Emai <u>l</u> address:	fricciardi@pil.net				
<u>P</u> assword:	•••••				
	Remember password				
Looking up con	figuration: Trying common s	erver names	0		
		~	0.11		
<u>G</u> et a new acco	Manual config	Stop	<u>C</u> ontinue	C <u>a</u> ncel	

Account Setup									
Your <u>n</u> ame:	Frank Ricciard	li	Your name, as	shown to	o othe	ers			
Emai <u>l</u> address:	fricciardi@pil.	.net							
Password:	•••••	•							
	Remembe	er password							
	Ser	rver hostname		Port		SSL		Authentication	
Incoming: 1	Ser MAP V ne	rver hostname swmail.pil.net		Port	~	SSL None	~	Authentication	~
Incoming: 1 Outgoing: 5	Ser MAP V ne	rver hostname ewmail.pil.net wmail.nil.net		Port 143	~	SSL None	~	Authentication Normal password	~
Incoming: I Outgoing: S Username: Ir	Ser MAP V ne MTP neu ncoming: fri	rver hostname ewmail.pil.net wmail.pil.net icciardi@pil.net	~	Port 143 587	~	SSL None None Outgoing:	~	Authentication Normal password Normal password fricciardi@pil.net	~
Incoming: I Outgoing: S Username: Ir	Ser MAP V ne MTP ne ncoming: fri	rver hostname ewmail.pil.net wmail.pil.net icciardi@pil.net	~	Port 143 587	~	SSL None None Outgoing:	~	Authentication Normal password Normal password fricciardi@pil.net	>
Incoming: I Outgoing: S Username: Ir	Ser MAP V ne MTP ne ncoming: fri	rver hostname ewmail.pil.net wmail.pil.net icciardi@pil.net	~	Port 143 587	~	SSL None None Outgoing:	~	Authentication Normal password Normal password fricciardi@pil.net	>



Warning!
Incoming settings: newmail.pil.net does not use encryption.
Technical Details Outgoing settings: newmail.pil.net does not use encryption.
Technical Details
Thunderbird can allow you to get to your mail using the provided configurations. However, you should contact your administrator or email provider regarding these improper connections. See the Thunderbird FAQ for more information.
I <u>u</u> nderstand the risks.
Change <u>S</u> ettings

6) For your existing (OLD) mail.pil.net account the steps are the same with some slight variations

 \times 7 🗸 Events ◄ \times ► Q Ctrl+K> \equiv Activity Manager New Message > <Ctrl+Shift+K> Message Filters Attachments > > Date 🐴 🖣 🍕 Edit > ÷. Add-ons 8:16 AM pil.net Find Options > Options Print... > Account Settings File > Save As > <u>M</u>enu Bar View > Folders > Mail T<u>o</u>olbar Go > Empty Trash Quick Filter Bar Message \checkmark > Stat<u>u</u>s Bar Events and Tasks \checkmark > Tools > Toolbar Layout... × Exit Help > Layout >

Enter "Account Settings" in Thunderbird as shown below

Add another account



Complete the account setup wizard as shown below (Manual setup) and <mark>note the server names are different from the new server and the account name does NOT have @pil.net after it</mark>

Iail Account Setup								×
Your <u>n</u> ame: Emai <u>l</u> address: <u>P</u> assword:	Frank Ricci fricciardi@ ••••••• Remen	iardi pil.net ••• nber password	Your name, as s	shown to	o othe	ers		
		Server hostname		Port		SSL	Authentication	
Incoming: I	MAP ~	mail.pil.net		143	\sim	None ~	Normal password \sim	
Outgoing: S	МТР	mail.pil.net	~	587	\sim	None ~	Normal password \sim	
Username: r	ncoming:	fricciardi				Outgoing:	fricciardi	
<u>G</u> et a new acc	ount <u>A</u> d	vanced config				Re- <u>t</u> est	<u>D</u> one C <u>a</u> ncel]

Click DONE and OK in the warning message about duplicate account names



Change the account name as shown below to differentiate between the two

1	Account Settings	×
	∨ fricciardi@pil.net	Account Settings - <fricciardi@pil.net></fricciardi@pil.net>
	Server Settings	Assessment Namera Chine Single (Astronom Coll D. SERV(CR))
	Copies & Folders	Account Mame: Tricclardi@pil.net (OLD SERVER)
	Composition & Addressing	Default Identity
	Junk Settings	Each account has an identity, which is the information that other people see
	Synchronization & Storage	when they read your messages.

You should now have two side by side accounts up and running.

√⊠ fricciardi@pil.net (OLD SERVER)
📥 Inbox
🧱 Sent
🔯 Trash
∨⊠ fricciardi@pil.net
📥 Inbox
∨ 🖳 Local Folders
🔯 Trash
🛝 Outbox